

**HL7 Implementation Guide for CDA Release 2.0
Questionnaire Form Definition Document**

(Danish profile – DK QFDD)

Draft

Release 1.1

May 19th 2015

**Updated
May 6th 2020**

Revision History			
Release	Author	Date	Notes
1.0	MedCom	19.05.2015	Danish profile QFDD
1.1	MedCom	28.09.2016	OID's changed to reflect MedCom OID 1.2.208.184.x.x.x To provide better search facilities in this document all pictures showing xml-code examples changed to tables with real xml code.
1.1	MedCom	23.10.2019	"Draft" fjernet.
1.1	MedCom	17.02.2020	Type error on page 31, Table 23: @code="744467-2" changed to @code="74467-2"
1.1	MedCom	23.04.2020	<p>The numbers # of following errors and improvements refers to: https://svn.medcom.dk/svn/drafts/Standarder/HL7/PRO/PRO-infrastrukturen, diverse fund v2.xlsx</p> <p>#1) Description of Information Only sections added</p> <p>#2) Precondition Pattern: In figure 11 precondition templateId was wrong. Changed from 2.16.840.1.113883.10.20.32.4.3 to 2.16.840.1.113883.10.20.32.4.4</p> <p>#3 Copy Right Pattern Contexts on pg. 34, Table 26: Wrongly presented recursively use of Copy Right Observation. Possible ways to use Copy Right now added.</p> <p>#4) Numeric Question Pattern on pg. 36 & 37: Clarification of the use of Media observation and the use of feedback observation.</p> <p>#5) Text Question Pattern: On pg. 45, Bullet 3 templateId@root was wrong. Changed from 2.16.840.1.113883.10.20.32.4.6 to 2.16.840.1.113883.10.20.32.4.9</p> <p>#6) Analog Slider Question Pattern: On pg. 46, Table 34 the header was wrong. Changed from Text Question Pattern Contexts to Analog Slider Question Pattern Contexts</p> <p>#7) Analog Slider Question Pattern Observation: On pg. 46, Table 35 the last zero in templateId@root="2.16.840.1.113883.10.20.32.4.10" appeared on the next page. Column width has now been changed.</p> <p>#8) Analog Slider Question Pattern Observation: On pg. 47, Bullet 4 denominator is wrongly described as a sub-element to value. Bullet 4 changed so denominator is described as an attribute.</p> <p>#9) Precondition Extension Pattern: On pg. 52, Bullet 5 negationInd is wrongly described as a sub-element to sdtc:precondition. Bullet 5 changed so negationInd is described as an attribute.</p> <p>----- Table of templateId's added in Appendix B: TemplateId's used in QFDD.</p>

1.1	MedCom	06.05.2020	assigningAuthorityName="MedCom" replaced by "Some Authority" "MedCom Prompt Table" replaced by "Some Table"

Table of Contents

1	INTRODUCTION	9
1.1	Audience	9
1.2	Purpose.....	9
1.2.1	Typical Use Case	9
1.3	Scope	10
1.4	Approach.....	10
1.4.1	Keywords.....	11
1.4.2	Conformance Requirements.....	11
1.5	Organization of This Guide	11
1.6	Content of the Package.....	12
2	QUESTIONNAIRE FORM DEFINITION DOCUMENT HEADER TEMPLATE..	13
2.1	Document Type Codes	13
2.2	Danish Profile Questionnaire Form Definition Document Header	13
2.2.1	RecordTarget	15
2.2.2	Author	16
2.2.3	Custodian	17
2.3	Rendering Header Information for Human Presentation.....	18
3	QUESTIONNAIRE FORM DEFINITION DOCUMENT-LEVEL TEMPLATE	19
3.1	Questionnaire Form Definition Document	19
4	SECTION-LEVEL TEMPLATES	21
4.1	Questionnaire Form Definition Section	21
4.2	Copy Right Section	22
4.3	Information Only Section	24
5	ENTRY-LEVEL TEMPLATES	26
5.1	Questions Organizer	26
5.2	Question Media Pattern	28

5.3	Criterion Pattern	29
5.4	Precondition Pattern.....	30
5.5	Question Help Text Pattern Observation	31
5.6	Question Reference Range Pattern.....	33
5.7	Question Options Pattern Observation	34
5.8	Question Feedback Pattern Observation	35
5.9	Copy Right Pattern Observation	37
5.10	Numeric Question Pattern Observation	38
5.11	Multiple Choice Question Pattern Observation	42
5.12	Text Question Pattern Observation	47
5.13	Analog Slider Question Pattern Observation	49
5.14	Discrete Slider Question Pattern Observation	51
6	APPENDIX A. EXTENSIONS TO CDA R2	53
6.1	Precondition Extension Pattern	55
6.2	AllTrue Pattern.....	56
6.3	AllFalse Pattern.....	56
6.4	AtLeastOneTrue Pattern	57
6.5	AtLeastOneFalse Pattern	57
6.6	OnlyOneTrue Pattern	57
6.7	OnlyOneFalse Pattern	57
7	APPENDIX B: TEMPLATEID'S USED IN QFDD	59

Table of Figures

Figure 1: Typical Use Case.....	10
Figure 2: DK Realm Questionnaire Form Definition document header example	15
Figure 3: effectiveTime with time zone example	15
Figure 4: DK realm recordTarget Example	16
Figure 5: Person author example.....	17
Figure 6: Custodian example	18
Figure 7: Questionnaire Form Definition Section example	22
Figure 8: Copy Right Section example.....	23
Figure 9: Information Only Section example	25
Figure 10: Questions Organizer Example	28
Figure 11: Question Media Pattern Example	29
Figure 12: Precondition Pattern Example.....	31
Figure 13: Questions Help Text Pattern Observation Example	33
Figure 14: Questions Reference Range Pattern Example	34
Figure 15: Questions Options Pattern Example	35
Figure 16: Questions Feedback Pattern Example.....	37
Figure 17: Copy Right Pattern Example	38
Figure 18: Numeric Question Pattern Example	42
Figure 19: Multiple Choice Question Pattern Observation Example-1.....	45
Figure 20: Multiple Choice Question Pattern Observation Example-2.....	46
Figure 21: Multiple Choice Question Pattern Observation Example-3.....	47
Figure 22: Text Question Pattern Observation Example	49
Figure 23: Analog Slider Question Pattern Observation Example.....	51
Figure 24: Discrete Slider Question Pattern Observation Example.....	53
Figure 25: sdtc:precondition AtLeastOneTrue Pattern Example.....	58

Table of Tables

Table 1: Content of the Package.....	12
Table 2: HL7 Basic Confidentiality Kind Value Set.....	14
Table 3: Language Value Set.....	14
Table 4: Questionnaire Form Definition Document-Level Contexts	19
Table 5: Questionnaire Form Definition Document-Level Constraint Overview.....	19
Table 6: Questionnaire Form Definition Section Pattern Contexts.....	21
Table 7: Questionnaire Form Definition Section Constraint Overview	21
Table 8: Copy Right Section Pattern Contexts	22
Table 9: Copy Right Section Constraints Overview	23
Table 10: Information Only Section Pattern Contexts	24
Table 11: Information Only Section Constraints Overview	24
Table 12: Question Organizer Contexts	26
Table 13: Question Organizer Constraints Overview	26
Table 14: Question Media Pattern Contexts	29
Table 15: Media Pattern Constraints Overview	29
Table 16: Criterion Pattern Contexts	30
Table 17: Criterion Pattern Constraints Overview	30
Table 18: Precondition Pattern Contexts.....	30
Table 19: Precondition Pattern Constraints Overview.....	31
Table 20: Question Help Text Pattern Observation Contexts	31
Table 21: Question Help Text Pattern Observation Constraints Overview	32
Table 22: Question Reference Range Pattern Contexts	33
Table 23: Question Reference Pattern Constraints Overview	33
Table 24: Question Options Pattern Contexts.....	34
Table 25: Question Options Pattern Constraints Overview.....	34
Table 26: Question Feedback Pattern Contexts	36
Table 27: Question Feedback Pattern Constraints Overview	36
Table 28: Copy Right Pattern Contexts.....	37
Table 29: Copy Right Pattern Constraints Overview	37
Table 30: Numeric Question Pattern Contexts.....	39
Table 31: Numeric Question Pattern Constraints Overview.....	39
Table 32: Multiple Choice Question Pattern Observation Contexts.....	42
Table 33: Multiple Choice Question Pattern Observation Constraints Overview.....	42
Table 34: Text Question Pattern Contexts	48
Table 35: Text Question Pattern Observation Constraints Overview	48
Table 36: Analog Slider Question Pattern Contexts.....	50
Table 37: Analog Slider Question Pattern Observation Constraints Overview	50
Table 38: Discrete Slider Question Pattern Contexts.....	52
Table 39: Discrete Slider Question Pattern Observation Constraints Overview.....	52
Table 40: TemplateId's used in QFDD.....	59

1 INTRODUCTION

1.1 Audience

The audience for this document includes software developers and implementers of products and services that enable authoring, management, and administration of patient health questionnaires and their responses. This includes public and private disease management organizations as well as local, regional, and national health information exchange networks that wish to create and/or process Questionnaire Form Definition documents (home monitoring and patient surveys) created according to this specification.

1.2 Purpose

This document is a Danish profile of the Clinical Document Architecture (CDA) Release 2, Questionnaire Form Definition Document, Release 1.

The purpose of a Questionnaire Form Definition Document is to define health survey questions or question sets to be answered by the individual patient. Questionnaire Form Definition Documents enable the definition of questions for surveying the patient's perceptions on their health and the impact that any treatments or adjustments to lifestyle have had on their quality of life. The Questionnaire Form Definition documents may carry a variety of clinical and non-clinical questions and branching logic in order to present the patient with a dynamic health survey for assessing health status including, but not limited to, the patient's functional, cognitive, and physiological characteristics. Authors of the Questionnaire Form Definition Documents may include disease management organizations, primary care physicians, health and fitness coaches, chronic condition monitors, post-acute and long-term care organizations.

1.2.1 Typical Use Case

The primary use case for the Questionnaire Form Definition Document involves the Questionnaire Form Definition author.

After creation of the Questionnaire Form Definition Document by the author, it is placed in a repository that is accessible by a disease management service. Subsequently, the disease management service will fetch the Questionnaire Form Definition Document from the repository and send it to the application hosting device based on a prescribed order or schedule.




Figure 1: Typical Use Case

The application hosting device will notify the patient that a new Questionnaire Form Definition Document is available to be filled. The Questionnaire Response Document is created as the patient fills out the questionnaire and is sent back to the disease monitoring station where it is ready for review. Figure 1 shows the entire ecosystem describing the typical use case.

1.3 Scope

This implementation guide is a conformance profile, as described in the “Refinement and Localization”ⁱ section of the *HL7 Version 3 Interoperability Standards*. The base standard for this implementation guide is the *HL7 Clinical Document Architecture, Release 2.0*ⁱⁱ. This implementation guide does not describe every aspect of the CDA. Rather, it defines constraints on the base CDA used in Questionnaire Form Definition Document for the Danish profile.

1.4 Approach

Overall, the approach taken here is consistent with balloted implementation guides (IGs) for CDA. These publications view the ultimate implementation specification as a series of layered constraints.

ⁱ <http://www.hl7.org/v3ballot/html/infrastructure/conformance/conformance.htm>

ⁱⁱ *HL7 Clinical Document Architecture (CDA Release 2)*.

<http://www.hl7.org/implement/standards/cda.cfm>

CDA itself is a set of constraints on the Health Level Seven (HL7) Reference Information Model (RIM). Implementation guides such as this document add constraints to CDA through conformance statements that further define and restrict the sequence and cardinality of CDA objects and the vocabulary sets for coded elements.

1.4.1 Keywords

The keywords **SHALL**, **SHALL NOT**, **SHOULD**, **SHOULD NOT**, **MAY**, and **NEED NOT** in this document is to be interpreted as described in the HL7 Version 3 Publishing Facilitator's Guide:

- **SHALL**: an absolute requirement
- **SHALL NOT**: an absolute prohibition against inclusion
- **SHOULD/SHOULD NOT**: best practice or recommendation. There may be valid reasons to ignore an item, but the full implications must be understood and carefully weighed before choosing a different course
- **MAY/NEED NOT**: truly optional; can be included or omitted as the author decides with no implications

The keyword **SHALL** allow the use of nullFlavor unless the requirement is on an attribute or the use of nullFlavor is explicitly precluded.

1.4.2 Conformance Requirements

The constraints in the original Questionnaire Form Definition Document are carried on by using the original conformance identification identifier **CONF:XX**.

If an original constraint is not used in the Danish profile the number is omitted. In most cases new constraints in the Danish profile are added by using the conformance identification identifier **CONF-DK:XX**.

All conformance requirements are numbered sequentially.

1.5 Organization of This Guide

This guide includes a set of CDA Templates and prescribes their use within a Questionnaire Form Definition CDA document. The main chapters are:

- Chapter 2: Questionnaire Form Definition Document Header Template describes constraints that apply to the header for all Universal Realm documents within the scope of this implementation guide.

- Chapter 3: Questionnaire Form Definition Document-Level Template defines the document constraints that apply to Questionnaire Form Definition Documents.
- Chapter 4: Section-Level Templates defines the section templates in Questionnaire Form Definition Documents.
- Chapter 5: Entry-Level Templates defines the entry template in Questionnaire Form Definition Documents.

1.6 Content of the Package

The following files comprise the package:

Table 1: Content of the Package

Filename ⁱⁱⁱ	Description	Standards Applicability
DK-QFDD-v1.1	This implementation guide	Normative
QFD_Example_1_Numeric_Question.xml QFD_Example_2_Multiple_Choice_Question.xml QFD_Example_3_Multiple_Choice_Question_Grouped.xml QFD_Example_4_Text_Question.xml QFD_Example_5_Discrete_Slider.xml	The sample CDA XML file that includes examples of templates discussed in this guide: <ul style="list-style-type: none"> • Example 1: Numeric Question • Example 2: Multiple Choice Question • Example 3: Multiple Choice Question (grouped) • Example 4: Text Question • Example 5: Discrete Slider Question 	Informative
Files in the Schema folder	Normative CDA R2 schema files to validate a Questionnaire Form Definition document instance.	Informative
CDA.xsl	Stylesheet for display of CDA instances	Informative

ⁱⁱⁱ The files can be downloaded from [http://svn.medcom.dk/svn/releases/standarder/HL7/PRO/..](http://svn.medcom.dk/svn/releases/standarder/HL7/PRO/)

2 QUESTIONNAIRE FORM DEFINITION DOCUMENT HEADER TEMPLATE

This template describes constraints that apply to the header within the scope of this implementation guide. Header constraints are described in the appropriate document-specific section below.

2.1 Document Type Codes

CDA R2 states that LOINC is the preferred vocabulary for document type codes. The document type code specifies the type of document being exchanged (e.g., History and Physical). The use of a single clinicalDocument/code is preferred for a CDA document template.

This Questionnaire Form Definition template is a Danish profile document, where LOINC is the preferred document code vocabulary.

2.2 Danish Profile Questionnaire Form Definition Document Header

[ClinicalDocument: templateId 1.2.208.184.12.1]

1. **SHALL** contain exactly one [1..1] `realmCode` (CONF:1).
 - a. This `realmCode` **SHOULD** be selected from HL7 ValueSet BindingRealm [2.16.840.1.113883.1.11.20355] from codesystem hl7Realm [2.16.840.1.113883.5.1124] **STATIC** 2010-11-11 (CONF:2).
2. **SHALL** contain exactly one [1..1] `typeId` (CONF:3).
 - a. This `typeId` **SHALL** contain exactly one [1..1] `@root="2.16.840.1.113883.1.3"` (CONF:4).
 - b. This `typeId` **SHALL** contain exactly one [1..1] `@extension="POCD_HD000040"` (CONF:5).
3. **SHALL** contain exactly one [1..1] header-level `templateId` (CONF:6) such that it
 - a. **SHALL** contain exactly one [1..1] `@root="2.16.208.184.12.1"` (CONF-DK: 1).
4. **SHALL** contain exactly one [1..1] `id` (CONF:8).
 - a. This `id` **SHALL** be a globally unique identifier for the document (CONF:9).
5. **SHALL** contain exactly one [1..1] `code` (CONF:10).
 - a. This `code` **SHALL** specify the Questionnaire Form Definition Document (CONF-DK: 2).
 - b. This `code` **SHALL** be code = 74468-0 from (CodeSystem: LOINC 1.3.6.1.4.1.12009.10.2.5) (CONF-DK: 3).
6. **SHALL** contain exactly one [1..1] `title` (CONF:13).

7. **SHALL** contain exactly one [1..1] `sdtc:statusCode` (CONF:14).
8. This `statusCode` **SHALL** contain exactly one [1..1] `@code="NEW"` (CodeSystem: ActStatus 2.16.840.1.113883.5.14) (CONF:15).
9. **SHALL** contain exactly one [1..1] `effectiveTime` (CONF:16).
10. **SHALL** contain exactly one [1..1] `confidentialityCode`, which **SHALL** be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 **STATIC** 2010-04-21 (CONF:17).
 - a. This code **SHALL** always be set to "N" (CONF-DK: 4).
11. **SHALL** contain exactly one [1..1] `languageCode`, which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:18).

Table 2: HL7 Basic Confidentiality Kind Value Set

Value Set: HL7 DK Confidentiality codes Code System: 2.16.840.1.113883.5.25		
Code	Code System	Print name
N	Confidentiality Code	Normal
R	Confidentiality Code	Restricted
V	Confidentiality Code	Very Restricted

Table 3: Language Value Set

Value Set: Language Code System(s): Internet Society Language 2.16.840.1.113883.1.11.11526		
Description: A value set of codes defined by Internet RFC 4646 (replacing RFC 3066). Please see ISO 639 language code set maintained by Library of Congress for enumeration of language codes http://www.ietf.org/rfc/rfc4646.txt		
Code	Code System	Print name
En	Internet Society Language	English
Fr	Internet Society Language	Frensh
Ar	Internet Society Language	Arabic
en_US	Internet Society Language	English, US
es-US	Internet Society Language	Spanish, US
...		

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- CDA Form Definition Document for Questionnaires/Surveys -->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:sdtc="urn:hl7-org:sdtc"
xmlns:voc="urn:hl7-org:v3/voc"
classCode="DOCCLIN" moodCode="EVN">
  <realmCode code="UV"/>
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <!-- MedCom Danish QFDD-profile OID -->
  <templateId root="1.2.208.184.12.1"/>
  <!-- The next templateId, indicates constraints at the Questionaere Form Definition
Document-level -->
  <templateId root="1.2.208.184.12.1.1.1"/>
  <id extension="c8f1acf0-2e28-11e6-bdf4-0800200c9a66" root="1.2.208.N.N"/>
```

```

assigningAuthorityName="Some Authority"/>
  <!-- This code is LOINC -->
  <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
code="74468-0" displayName="Form Definition Document"/>
  <title>KOL spørgeskema</title>
  <sdct:statusCode code="new"/>
  <effectiveTime value="20160609123030+0200"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="da-DK"/>
  <recordTarget>
    <patientRole>
      <id nullFlavor="NI"/>
    </patientRole>
  </recordTarget>

```

Figure 2: DK Realm Questionnaire Form Definition document header example

```

<effectiveTime value="20160609123030+0200"/>

```

Figure 3: effectiveTime with time zone example

2.2.1 RecordTarget

The `recordTarget` records the patient whose health information is described by the clinical document. Each `recordTarget` must contain exactly one `patientRole` element. In the context of the Questionnaire Form Definition Document Implementation Guide, the `recordTarget` contains "No Information". This is indicated by using the `nullFlavor="NI"`.

A Questionnaire Response Document^{iv}, which is generated based on the Questionnaire Form Definition Document, does contain the information about the patient. The related constraints are defined in the Questionnaire Response document IG.

1. **SHALL** contain exactly one [1..1] `recordTarget` (CONF:19).
 - a. Such `recordTargets` **SHALL** contain exactly one [1..1] `patientRole` (CONF:20).
 - i. This `patientRole` **SHALL** contain exactly one [1..1] `id` (CONF:21).
 - a. The value of the `recordTarget/patientRole/id/@NullFlavor` **SHALL** be "NI" "No Information" 2.16.840.1.113883.5.1008 NullFlavor **STATIC** (CONF:22).

^{iv} HL7 Implementation Guide for CDA Release 2.0: Questionnaire Response Document, release 1.0. May 15th 2015. Danish Profile. DK-QRD.

```

recordTarget>
  <patientRole>
    <id nullFlavor="NI"/>
  </patientRole>
</recordTarget>

```

Figure 4: DK realm recordTarget Example

2.2.2 Author

The `author` element represents the creator of the Questionnaire Form Definition Document. It is usually a healthcare organization. In this case the `author` represents the healthcare organization that creates the Questionnaire Form Definition Document that is to be used to survey the patient.

2. **SHALL** contain at least one [1..*] `author` (CONF:23).
 - a. Such `authors` **SHALL** contain exactly one [1..1] `time` (CONF:24).
 - b. Such `authors` **SHALL** contain exactly one [1..1] `assignedAuthor` (CONF:25).
 - i. This `assignedAuthor` **SHALL** contain exactly one [1..1] `id` (CONF:26).
 - ii. This `assignedAuthor` **SHALL** contain at least one [1..*] `addr` (CONF:27).
 - iii. This `assignedAuthor` **SHALL** contain at least one [1..*] `telecom` (CONF:28).
 - iv. There **SHALL** be exactly one `assignedAuthor/assignedPerson` (CONF-DK: 5).
 - v. This `assignedAuthor` **SHOULD** contain zero or one [0..1] `assignedPerson` (CONF:30).
 1. The `assignedPerson`, if present, **SHALL** contain at least one [1..*] `name` (CONF:31).
 - vi. This `assignedAuthor` **SHALL** contain exactly one [1..1] `representedOrganization` (CONF:35).
 - vii. If `assignedAuthor` has an associated `representedOrganization` and no `assignedPerson`, then the value for `"ClinicalDocument/author/assignedAuthor/id/@NullFlavor"` **SHALL** be "NA" "Not applicable" 2.16.840.1.113883.5.1008 NullFlavor **STATIC** (CONF-DK: 6).

```

<author typeCode="AUT" contextControlCode="OP">
  <time value="20160609120130+0200"/>

```



```

<assignedAuthor classCode="ASSIGNED">
  <!-- This is the identification of the organization, we don't use the personal level
  identification-->
  <id extension="368061000016003" root="1.2.208.176.1.1"
  assigningAuthorityName="SOR"/>
  <addr use="WP">
    <streetAddressLine>Lungemedicinsk afdeling</streetAddressLine>
    <streetAddressLine>Mølleparkvej 4</streetAddressLine>
    <postalCode>9000</postalCode>
    <city>Aalborg</city>
    <country>Danmark</country>
  </addr>
  <telecom value="tel:97664800" use="WP"/>
  <assignedPerson classCode="PSN" determinerCode="INSTANCE">
    <name>
      <given>Anders</given>
      <family>Andersen</family>
    </name>
  </assignedPerson>
  <representedOrganization classCode="ORG" determinerCode="INSTANCE">
    <id extension="368061000016003" root="1.2.208.176.1.1"
    assigningAuthorityName="SOR"/>
    <name>Aalborg Universitetshospital</name>
    <telecom nullFlavor="NI"/>
    <addr use="WP">
      <streetAddressLine nullFlavor="NI"/>
    </addr>
  </representedOrganization>
</assignedAuthor>
</author>

```

Figure 5: Person author example

2.2.3 Custodian

The `custodian` element represents the organization that is in charge of maintaining the Questionnaire Form Definition Document (e.g. a hospital, an ambulatory, General Practitioner). The custodian is the steward that is entrusted with the care of the document. The Questionnaire Form Definition Document has exactly one custodian.

3. **SHALL** contain exactly one [1..1] `custodian` (CONF:37).
 - a. This `custodian` **SHALL** contain exactly one [1..1] `assignedCustodian` (CONF:38).
 - i. This `assignedCustodian` **SHALL** contain exactly one [1..1] `representedCustodianOrganization` (CONF:39).
 1. This `representedCustodianOrganization` **SHALL** contain at least one [1..*] `id` (CONF:40).

2. This `representedCustodianOrganization` **SHOULD** contain exactly one [1..1] `name` (CONF:41).
3. This `representedCustodianOrganization` **SHALL** contain exactly one [1..1] `telecom` (CONF:42).
4. This `representedCustodianOrganization` **SHALL** contain exactly one [1..1] `addr` (CONF:43).

```

<custodian typeCode="CST">
  <assignedCustodian classCode="ASSIGNED">
    <representedCustodianOrganization classCode="ORG"
determinerCode="INSTANCE">
      <id extension="368061000016003" root="1.2.208.176.1.1"
assigningAuthorityName="SOR"/>
      <name>Aalborg Universitetshospital</name>
      <telecom value="tel:97664800" use="WP"/>
      <addr use="WP">
        <streetAddressLine>Lungemedicinsk afdeling</streetAddressLine>
        <streetAddressLine>Mølleparkvej 4</streetAddressLine>
        <postalCode>9000</postalCode>
        <city>Aalborg</city>
        <country>Danmark</country>
      </addr>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>

```

Figure 6: Custodian example

2.3 Rendering Header Information for Human Presentation

Good practice would recommend that the following information to be present whenever the Questionnaire Form Definition Document is viewed:

- Document title and document date
- Author of the Questionnaire Form Definition Document.
- Name of the organization who created the Questionnaire Form Definition Document along with the address, and telecommunications information
- Custodian who is managing the document, which may be the same organization as the author organization.

3 QUESTIONNAIRE FORM DEFINITION DOCUMENT-LEVEL TEMPLATE

This chapter defines the document-level template used in the Questionnaire Form Definition Document containing a set of questions to be asked from the patient. Document-level templates describe the purpose and rules for constructing a conforming CDA document for its use case. Document templates include constraints on the CDA header and contain section-level templates, which in turn contain entry-level templates.

3.1 Questionnaire Form Definition Document

[ClinicalDocument: templateId 1.2.208.184.12.1.1.1]

This template describes constraints that apply to the Questionnaire Form Definition Document containing set of questions.

This document-level template contains the following information:

- Description and explanatory narrative
- Template metadata (e.g., `templateId`, etc.)
- Header constraints
- The required section-level template

Table 4: Questionnaire Form Definition Document-Level Contexts

Used By:	Contains Entries:
	Questionnaire Form Definition Section Copy Right Section

Table 5: Questionnaire Form Definition Document-Level Constraint Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	ClinicalDocument[templateId/@root = '1.2.208.184.12.1.1.1']					
	templateId	1..1	SHALL		CONF:45	
	@root	1..1	SHALL		CONF:46	1.2.208.184.12.1.1.1
	Component	1..1	SHALL		CONF:47	
	structuredBody	1..1	SHALL		CONF:48	
	component	1..*	SHALL		CONF:49	
	Section	1..1	SHALL		CONF:50	

1. **SHALL** conform to the Danish Profile Questionnaire Form Definition Document Header template (`templateId: 1.2.208.184.12.1`) (CONF-DK: 7).
2. **SHALL** contain exactly one [1..1] `templateId` (CONF:45) such that it
 - a. **SHALL** contain exactly one [1..1] `@root="1.2.208.184.12.1.1.1"` (CONF-DK: 8).
3. **SHALL** contain exactly one [1..1] `component` (CONF:47).

- a. **SHALL** contain exactly one [1..1] `structuredBody` (CONF:48).
 - i. This `structuredBody` **SHALL** contain at least one [1..*] `component` (CONF:49) such that it
 - 1. **SHALL** contain exactly one [1..1] Questionnaire Form Definition Section template (`templateId:` 2.16.840.1.113883.10.20.32.2.1) (CONF:50).
 - 2. **SHALL** contain exactly one [1..1] Copy Right Section template (`templateId:` 2.16.840.1.113883.10.20.32.2.2) (CONF:51).

4 SECTION-LEVEL TEMPLATES

This section contains section-level templates used by the Questionnaire Form Definition Document in this Implementation Guide. Section-level templates are always included in a document.

Each section-level template contains the following:

- Template metadata (e.g., `templateId`, etc.)
- Description
- Section code
- Section title
- Entry-level template names and Ids for referenced templates (required and optional)

4.1 Questionnaire Form Definition Section

```
[section: templateId 2.16.840.1.113883.10.20.32.2.1]
```

A Questionnaire Form Definition Document consists of sections that groups related questions. Section titles ease human-readability and navigation in the document. Section codes help with the recipient's interpretation of a section. A section template defined by this implementation guide requires the use of at least one structured entry, where a structured entry contains the question that is intended for a patient to answer.

Table 6: Questionnaire Form Definition Section Pattern Contexts

Used By:	Contains Entries:
Questionnaire form definition document-level template (required)	Questions Organizer

Table 7: Questionnaire Form Definition Section Constraint Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	section[templateId/@root = '2.16.840.1.113883.10.20.32.2.1']					
	templateId	1..1	SHALL		CONF:52	
	@root	1..1	SHALL		CONF:53	2.16.840.1.113883.10.20.32.2.1
	code	1..1	SHALL		CONF:54	74468-0
	title	0..1	SHOULD		CONF:55	
	text	1..1	SHALL		CONF:56	
	languageCode	0..1	SHOULD		CONF:57	
	entry	1..*	SHALL		CONF:58	
	@typeCode	1..1	SHALL		CONF:59	DRIV
	organizer	1..1	SHALL		CONF:60	

1. **SHALL** contain exactly one [1..1] `templateId` (CONF:52) such that it
 - a. **SHALL** contain exactly one [1..1]
 - `@root="2.16.840.1.113883.10.20.32.2.1"` (CONF:53).
2. **SHALL** contain exactly one [1..1] `code` (CONF:54).
3. **SHOULD** contain zero or one [0..1] `title` (CONF:55).
4. **SHALL** contain exactly one [1..1] `text` (CONF:56).
5. **SHOULD** contain zero or one [0..1] `languageCode` which **SHALL** be selected from ValueSet `Language 2.16.840.1.113883.1.11.11526 DYNAMIC` (CONF:57).
6. **SHALL** contain at least one [1..*] `entry` (CONF:58) such that it
 - a. **SHALL** contain exactly one [1..1] `@typeCode="DRIV"` (CONF:59)
 - b. **SHALL** contain exactly one [1..1] `Questions Organizer template` (`templateId: 2.16.840.1.113883.10.20.32.4.1`) (CONF:60).

```

<section classCode="DOCSECT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.32.2.1"/>
  <code code="74468-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC"/>
  <title>Spørgsmål 1</title>
  <text>Hvor mange gange om dagen.....</text>
  <entry typeCode="DRIV" contextConductionInd="true">
  <organizer classCode="BATTERY" moodCode="EVN">

```

Figure 7: Questionnaire Form Definition Section example

4.2 Copy Right Section

```
[section: templateId 2.16.840.1.113883.10.20.32.2.2]
```

Copy Right Section is used to record copyright information related to the content of a Questionnaire Form Definition. It also contains a structured entry for recording the copyright information in machine readable form.

Note: Copy Right description may be “stamped” on any question in the questionnaire using Copy Right Pattern Observation on page 37.

Table 8: Copy Right Section Pattern Contexts

Used By:	Contains Entries:
Questionnaire form definition document-level template (optional)	Copy Right Pattern Observation

Table 9: Copy Right Section Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	section[templateId/@root = '2.16.840.1.113883.10.20.32.2.2']					
	templateId	1..1	SHALL		CONF:61	
	@root	1..1	SHALL		CONF:62	2.16.840.1.113883.10.20.32.2.2
	Title	0..1	SHOULD		CONF:63	
	Text	1..1	SHALL		CONF:64	
	languageCode	0..1	SHOULD		CONF:65	
	Entry	1..*	SHALL		CONF:66	
	@typeCode	1..1	SHALL		CONF:67	DRIV
copyRight Pattern	Observation	1..1	SHALL		CONF:68	

1. **SHALL** contain exactly one [1..1] `templateId` (CONF:61) such that it
 - a. **SHALL** contain exactly one [1..1] `@root="2.16.840.1.113883.10.20.32.2.2"` (CONF:62).
2. **SHOULD** contain zero or one [0..1] `title` (CONF:63).
3. **SHALL** contain exactly one [1..1] `text` (CONF:64).
4. **SHOULD** contain zero or one [0..1] `languageCode` which **SHALL** be selected from ValueSet `Language 2.16.840.1.113883.1.11.11526 DYNAMIC` (CONF:65).
5. **SHALL** contain at least one [1..*] `entry` (CONF:66) such that it
 - a. **SHALL** contain exactly one [1..1] `@typeCode="DRIV"` (CONF:67)
 - b. **SHALL** contain exactly one [1..1] Copy Right Pattern Observation template (templateId: 2.16.840.1.113883.10.20.32.4.21) (CONF:68).

```

<component typeCode="COMP" contextConductionInd="true">
  <section classCode="DOCSECT" moodCode="EVN">
    <!--templateID for the Copyright Section-->
    <templateId root="2.16.840.1.113883.10.20.32.2.2"/>
    <title>Copyright section</title>
    <text>Copyright section</text>
    <languageCode code="da-DK"/>
    <entry typeCode="DRIV" contextConductionInd="true">
      <observation classCode="OBS" moodCode="EVN">
        <!--templateID for the Copyright Pattern Observation-->
        <templateId root="2.16.840.1.113883.10.20.32.4.21"/>
        <code code="COPY" codeSystem="2.16.840.1.113883.6.1"
          displayName="Code for Copyright" codeSystemName="LOINC"/>
        <value xsi:type="ST">Copyright tekst skrives her</value>
      </observation>
    </entry>
  </section>
</component>

```

Figure 8: Copy Right Section example

4.3 Information Only Section

[section: templateId 2.16.840.1.113883.10.20.32.2.1 (OPEN)]

Information Only Sections has no entry element and are used to present information to the end-user.

Information Only Sections can be placed anywhere an ordinary section can be placed. In this QFDD version it has the templateId of the Questionnaire Form Definition Section.

In the next QFDD version Information Only Sections will get it's own unique templateId.

Table 10: Information Only Section Pattern Contexts

Used By:	Contains Entries:
Questionnaire form definition document-level template (required)	Information Only Section

Table 11: Information Only Section Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	section[templateId/@root = '2.16.840.1.113883.10.20.32.2.1' (OPEN)]					
	templateId	1..1	SHALL		CONF-DK:9	
	@root	1..1	SHALL		CONF-DK:10	2.16.840.1.113883.10.20.32.2.1 (OPEN)
	Title	0..1	SHOULD		CONF-DK:11	
	Text	1..1	SHALL		CONF-DK:12	
	languageCode	0..1	SHOULD		CONF-DK:13	

1. **SHALL** contain exactly one [1..1] `templateId` (CONF-DK:9) such that it
 - a. **SHALL** contain exactly one [1..1] `@root="2.16.840.1.113883.10.20.32.2.1"` (CONF-DK:10).
2. **SHOULD** contain zero or one [0..1] `title` (CONF-DK:11).
3. **SHALL** contain exactly one [1..1] `text` (CONF-DK:12).
4. **SHOULD** contain zero or one [0..1] `languageCode` which **SHALL** be selected from ValueSet `Language 2.16.840.1.113883.1.11.11526 DYNAMIC` (CONF-DK:13).


```

<!--
=====
INFO-SEKTION
===== -->
<component typeCode="COMP" contextConductionInd="true">
  <section classCode="DOCSECT" moodCode="EVN">
    <templateId root="2.16.840.1.113883.10.20.32.2.1"/>
    <title>Hvordan har du det?</title>
    <text>Du har modtaget dette spørgeskema, fordi vi gerne vil vide, hvordan du
      har det. Dine svar vil være et udgangspunkt for vores videre samtale, når vi
      mødes næste gang.</text>
    <languageCode code="da-DK"/>
  </section>
</component>

```

Figure 9: Information Only Section example

5 ENTRY-LEVEL TEMPLATES

This part of the guide describes the clinical statement entry templates used within the sections of the Questionnaire Form Definition Document. Entry templates contain constraints that are required for conformance. Each entry-level template description contains the following information:

- Key template metadata (e.g., `templateId`)
- Description and explanatory narrative.
- Required CDA acts, participants and vocabularies.
- Optional CDA acts, participants and vocabularies.

Entry-level templates also contain `id` element, which is an identifier for that entry. This `id` may be referenced within the document, or by the system receiving the document. The `id` assigned must be globally unique. In this implementation guide, the entry level templates (except the Questions Organizer template) are used in the "DEFINITION" mood i.e. `moodCode="DEF"`, which shows the act of obtaining patient response to a question.

5.1 Questions Organizer

```
[organizer: templateId 2.16.840.1.113883.10.20.32.4.1]
```

This template can be used to create groupings of other entries (or templates) that share a common context e.g. questions related to a specific health domain or topic. The `organizer/@classCode` is equal to "BATTERY" and is used to group entries. The `organizer/code` could be used to indicate questions related to a specific health domain e.g. nutrition or mental status. The `sequenceNumber` is used to indicate the relative order of the `organizer/component` which contains question represented by the generic observation class.

Table 12: Question Organizer Contexts

Used By:	Contains Entries:
Questionnaire Form Definition Section (required)	Precondition Pattern Numeric Question Pattern Observation Multiple Choice Question Pattern Observation Text Question Pattern Observation Analog Slider Question Pattern Observation Discrete Slider Question Pattern Observation

Table 13: Question Organizer Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	<code>organizer[templateId/@root = '2.16.840.1.113883.10.20.32.4.1']</code>					
	<code>@classCode</code>	1..1	SHALL		CONF:69	2.16.840.1.113883.5.6 (HL7ActClass)=BATTERY
	<code>@moodCode</code>	1..1	SHALL		CONF:70	2.16.840.1.113883.5.1001

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
						(ActMood = EVN
	templateId	1..1	SHALL		CONF:71	
	@root	1..1	SHALL		CONF:72	2.16.840.1.113883.10.20.32.4.1
	Id	1..*	SHALL		CONF:73	
	code	0..1	SHOULD		CONF:74	
	statusCode	1..1	SHALL		CONF:75	
	@code	1..1	SHALL		CONF:76	2.16.840.1.113883.5.14 (ActStatus) = completed
	precondition	0..*	MAY		CONF:77	
	component	1..*	SHALL		CONF:78	
	sequenceNumber	1..1	SHALL		CONF:79	
question	observation	1..1	SHALL		CONF:80	

1. **SHALL** contain exactly one [1..1] @classCode (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:69).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:70).
3. **SHALL** contain exactly one [1..1] templateId (CONF:71) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.1" (CONF:72).
4. **SHALL** contain at least one [1..*] id (CONF:73).
5. **SHOULD** contain zero or one [0..1] code (CONF:74).
6. **SHALL** contain exactly one [1..1] statusCode (CONF:75).
 - a. This statusCode **SHALL** contain exactly one [1..1] @code="COMPLETED" (CodeSystem: ActStatus 2.16.840.1.113883.5.14) (CONF:76).
7. **MAY** contain zero or more [0..*] Precondition Pattern templates (templateId 2.16.840.1.113883.10.20.32.4.4) or sdtc:precondition (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:77).
8. **SHALL** contain at least one [1..*] component (CONF:78).such that it
 - a. **SHALL** contain exactly one [1..1] sequenceNumber (CONF:79).
 - b. **SHALL** contain exactly one [1..1] of the following templates (CONF:80).
 - i. Numeric Question Pattern Observation
template (templateId: 2.16.840.1.113883.10.20.32.4.7) (CONF:81).
 - ii. Multiple Choice Question Pattern Observation
template (templateId: 2.16.840.1.113883.10.20.32.4.8) (CONF:82).
 - iii. Text Question Pattern Observation
template (templateId: 2.16.840.1.113883.10.20.32.4.9) (CONF:83).

- iv. Analog Slider Question Pattern Observation
template (templateId:
2.16.840.1.113883.10.20.32.4.10) (CONF:84).
- v. Discrete Slider Question Pattern Observation
template (templateId:
2.16.840.1.113883.10.20.32.4.11) (CONF:85).

```

<organizer classCode="BATTERY" moodCode="EVN">
  <!-- Question Organizer template -->
  <templateId root="2.16.840.1.113883.10.20.32.4.1"/>
  <id extension="E01" root="1.2.208.N.N." assigningAuthorityName="Some
Authority"/>
  <code code="C01" codeSystem="1.2.208.N.N.N" codeSystemName="Some table"
displayName="Some display name"/>
  <statusCode code="COMPLETED"/>
  <!-- Contains Continua Numeric, Multiple Choice or other defined templates -->
  <component typeCode="COMP" contextConductionInd="true">
    <sequenceNumber value="1"/>
    <observation classCode="OBS" moodCode="DEF">
      <templateId root="2.16.840.1.113883.10.20.32.4.7"/>
      ...
    </observation>

    <component typeCode="COMP" contextConductionInd="true">
      <sequenceNumber value="2"/>
      <observation classCode="OBS" moodCode="DEF">
        <templateId root="2.16.840.1.113883.10.20.32.4.8"/>
        ...
      </observation>

      <component typeCode="COMP" contextConductionInd="true">
        <sequenceNumber value="3"/>
        <observation classCode="OBS" moodCode="DEF">
          <templateId root="2.16.840.1.113883.10.20.32.4.9"/>
          ...
        </observation>
      </component>
    </component>
  </organizer>

```

Figure 10: Questions Organizer Example

5.2 Question Media Pattern

```

[observationMedia: templateId
2.16.840.1.113883.10.20.32.4.2]

```

In addition to the question text a question is sometimes associated with a multimedia item e.g. image. The Question Media Pattern is used to record such information which is then associated with a question represented by one of the following templates:

- Numeric Question Pattern Observation
- Multiple Choice Question Pattern Observation

- Text Question Pattern Observation
- Analog Slider Question Pattern Observation
- Discrete Slider Question Pattern Observation

Table 14: Question Media Pattern Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional) Multiple Choice Question Pattern Observation (optional) Text Question Pattern Observation (optional) Analog Slider Question Pattern Observation (optional) Discrete Slider Question Pattern Observation (optional)	

Table 15: Media Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observationMedia[templateId/@root='2.16.840.1.113883.10.20.32.4.2']					
	@classCode	1..1	SHALL	CD	CONF:86	2.16.840.1.113883.5.6 (HL7ActClass)=OBS
	@moodCode	1..1	SHALL	CD	CONF:87	2.16.840.1.113883.5.1001 (ActMood = DEF
	templateId	0..1	SHALL		CONF:88	
	@root	1..1	SHALL		CONF:89	2.16.840.1.113883.10.20.32.4.2
	Value	0..1	SHALL		CONF:90	

1. **SHALL** contain exactly one [1..1] @classCode (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:86).
2. **SHALL** contain exactly one [1..1] @moodCode="DEF" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:87).
3. **SHALL** contain exactly one [1..1] templateId (CONF:88) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.2" (CONF:89).
4. **SHALL** contain exactly one [1..1] value (CONF:90).

```

<observationMedia classCode="OBS" moodCode="DEF">
  <templateId root="2.16.840.1.113883.10.20.32.4.2"/>
  <value mediaType="text/plain" representation="B64">
    <reference value="test.jpg"/>
  </value>
</observationMedia>

```

Figure 11: Question Media Pattern Example

5.3 Criterion Pattern

[criterion: templateId 2.16.840.1.113883.10.20.32.4.3]

This pattern is used to express the criterion for asking a question. In the example in Figure 11 the criterion is true if answer to question “q2” is between 2 and 6.

Table 16: Criterion Pattern Contexts

Used By:	Contains Entries:
Precondition Pattern (required)	

Table 17: Criterion Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	criterion[templateId/@root = '2.16.840.1.113883.10.20.32.4.3']					
	templateId	1..1	SHALL		CONF:91	
	@root	1..1	SHALL		CONF:92	2.16.840.1.113883.10.20.32.4.3
	@classCode	1..1	SHALL	CD	CONF:93	2.16.840.1.113883.5.6 (HL7ActClass)=OBS
	@moodCode	1..1	SHALL	CD	CONF:94	2.16.840.1.113883.5.1001 (ActMood = EVN.CRT
	Code	1..1	SHALL		CONF:95	
	Value	1..1	SHALL		CONF:96	

1. **SHALL** contain exactly one [1..1] `templateId` (CONF:91) such that it
 - a. **SHALL** contain exactly one [1..1] `@root="2.16.840.1.113883.10.20.32.4.3"` (CONF:92).
2. **SHALL** contain exactly one [1..1] `@classCode` (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:93).
3. **SHALL** contain exactly one [1..1] `@moodCode="EVN.CRT"` Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:94).
4. **SHALL** contain exactly one [1..1] `code` (CONF:95).
5. **SHALL** contain exactly one [1..1] `value` (CONF:96).

5.4 Precondition Pattern

[precondition: templateId 2.16.840.1.113883.10.20.32.4.4]

The precondition class, derived from the ActRelationship class, is used along with the Criterion class to express a condition that must hold true before the activity to occur. Each entry level template that represents a question may be associated with zero or more Precondition Patterns which determines whether a question should be asked or not. A question is asked only if all preconditions hold true (a.k.a AllTrue). In the example in Figure 11 the criterion requires that question q2 is answered with values between 2 and 6.

Table 18: Precondition Pattern Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional) Multiple Choice Question Pattern Observation (optional)	Criterion Pattern

Text Question Pattern Observation (optional)	
Analog Slider Question Pattern Observation (optional)	
Discrete Slider Question Pattern Observation (optional)	

Table 19: Precondition Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	precondition[templateId/@root='2.16.840.1.113883.10.20.32.4.4']					
	@typeCode	1..1	SHALL		CONF:97	PRCN
	templateId	1..1	SHALL		CONF:98	
	@root	1..1	SHALL		CONF:99	2.16.840.1.113883.10.20.32.4.4
	Criterion	1..1	SHALL		CONF:100	

1. **SHALL** contain exactly one [1..1] @typeCode="PRCN" (CONF:97).
2. **SHALL** contain exactly one [1..1] templateId (CONF:98) such that it
 - a. **SHALL** contain exactly one [1..1]

@root="2.16.840.1.113883.10.20.32.4.4" (CONF:99).
3. **SHALL** contain exactly one [1..1] Criterion Pattern template

templateId 2.16.840.1.113883.10.20.32.4.3) (CONF:100).

```

<precondition typeCode="PRCN">
  <templateId root="2.16.840.1.113883.10.20.32.4.4"/>
  <criterion classCode="OBS" moodCode="EVN.CRT">
    <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
    <code code="q2" codeSystem="1.2.208.N.N.N" codeSystemName="Some
Table"/>
    <value xsi:type = "IVL_INT">
      <low value="2"/>
      <high value="6"/>
    </value>
  </criterion>
</precondition>

```

Figure 12: Precondition Pattern Example

5.5 Question Help Text Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.19]

Question Help Text Pattern Observation is used to record free text that is aimed to assist a user who answers a question. This pattern is associated with a question observation using entryRelationship with typeCode equal to 'SUBJ'.

Table 20: Question Help Text Pattern Observation Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional)	
Multiple Choice Question Pattern Observation (optional)	

Text Question Pattern Observation (optional)	
Analog Slider Question Pattern Observation (optional)	
Discrete Slider Question Pattern Observation (optional)	

Table 21: Question Help Text Pattern Observation Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.19']					
	@classCode	1..1	SHALL		CONF:101	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:102	2.16.840.1.113883.5.1001 (ActMood) = EVN
	templateId	1..1	SHALL		CONF:103	
	@root	1..1	SHALL		CONF:104	2.16.840.1.113883.10.20.32.4.19
	Code	1..1	SHALL		CONF:105	
	@code	1..1	SHALL		CONF:106	48767-8
	@codeSystem	1..1	SHALL		CONF:107	2.16.840.1.113883.6.1
helpText	Value	1..1	SHALL		CONF:108	
	@xsi:type	1..1	SHALL		CONF:109	
	languageCode	0..1	SHOULD		CONF:110	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:101).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:102).
3. **SHALL** contain exactly one [1..1] templateId (CONF:103) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.19" (CONF:104).
4. **SHALL** contain exactly one [1..1] code (CONF:105)
5. This code **SHALL** contain exactly one [1..1] @code="48767-8" Annotation Comment (CONF:106).
6. This code **SHALL** contain exactly one [1..1] (@CodeSystem:"2.16.840.1.113883.6.1"(CONF:107).
7. **SHALL** contain [1..1] value (CONF:108).
8. **SHALL** contain [1..1] @xsi:type="ST" (CONF:109).
9. **SHOULD** contain zero or one [0..1] languageCode which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:110).

```

<observation classCode="OBS" moodCode="EVN">
  <!--templateID for the Question Help Text Pattern Observation-->
  <templateId root="2.16.840.1.113883.10.20.32.4.19"/>
  <code code="48767-8" codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC" displayName="Annotation Comment"/>
  <value xsi:type="ST" language="da-DK">Indtast et tal mellem 0 og 24</value>

```



```
</observation>
```

Figure 13: Questions Help Text Pattern Observation Example

5.6 Question Reference Range Pattern

```
[referenceRange: templateId 2.16.840.1.113883.10.20.32.4.5]
```

The Question Reference Range Pattern is used to hold lower and upper boundaries for the expected question response in the context of this implementation guide. For example, in case of Figure 13, the value entered should be of the type 'INT' between '0' and '24'.

Table 22: Question Reference Range Pattern Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional)	

Table 23: Question Reference Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	referenceRange[templateId/@root = '2.16.840.1.113883.10.20.32.4.5']					
	@typeCode	1..1	SHALL	CD	CONF:111	REFV
	templateId	1..1	SHALL		CONF:112	
	@root	1..1	SHALL		CONF:113	2.16.840.1.113883.10.20.32.4.5
	observationRange	1..1	SHALL		CONF:114	
	Text	0..1	MAY		CONF:115	
	Value	1..1	SHALL		CONF:116	
	@xsi:type	1..1	SHALL		CONF:117	
minimum Value	Low	1..1	SHALL		CONF:118	
maximum Value	High	1..1	SHALL		CONF:119	

1. **SHALL** contain exactly one [1..1] @typeCode="REFV" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:111).
2. **SHALL** contain exactly one [1..1] templateId (CONF:112) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.5" (CONF:113).
3. The referenceRange **SHALL** contain exactly one [1..1] observationRange (CONF:114).
 - a. **MAY** contain zero or one [0..1] text (CONF:115).
 - b. **SHALL** contain exactly one [1..1] value (CONF:116) such that it
 - i. **SHALL** contain exactly one [1..1] @xsi:type (CONF:117).
 - ii. **SHALL** contain exactly one [1..1] low (CONF:118).
 - iii. **SHALL** contain exactly one [1..1] high (CONF:119).

```

<referenceRange typeCode="REFV">
  <templateId root="2.16.840.1.113883.10.20.32.4.5"/>
  <observationRange>
    <text language="da-DK">Her kan skrives en tekst til reference-intervallet</text>
    <value xsi:type="IVL_INT">
      <low value="0"/>
      <high value="24"/>
    </value>
  </observationRange>
</referenceRange>

```

Figure 14: Questions Reference Range Pattern Example

5.7 Question Options Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.20]

Question Options Pattern Observation is used by Multiple Choice Question Pattern Observation. This is used to indicate minimum and maximum number of choices that a user should select. For Multiple Choice Question Pattern Observation where a patient can only select one of the available options, the value/high should be set to '1'. This pattern is associated with the question observation using entryRelationship with typeCode equal to 'SUBJ'.

Table 24: Question Options Pattern Contexts

Used By:	Contains Entries:
Multiple Choice Question Pattern Observation (optional) Discrete Slider Question Pattern Observation (optional)	

Table 25: Question Options Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.20']					
	@classCode	1..1	SHALL		CONF:120	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:121	2.16.840.1.113883.5.1001 (ActMood) = EVN
	templateId	1..1	SHALL		CONF:122	
	@root	1..1	SHALL		CONF:123	2.16.840.1.113883.10.20.32.4.20
	Code	1..1	SHALL		CONF:124	
	@code	1..1	SHALL		CONF:125	74467-2
	@codeSystem	1..1	SHALL		CONF:126	2.16.840.1.113883.6.1
	Value	1..1	SHALL		CONF:127	
	@xsi:type	1..1	SHALL		CONF:128	IVL_INT
minimum Options	Low	1..1	SHALL		CONF:129	
maximum	High	1..1	SHALL		CONF:130	

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
Options						

1. **SHALL** contain exactly one [1..1] @classCode="OBS"
(CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**)
(CONF:120).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN"
(CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**)
(CONF:121).
3. **SHALL** contain exactly one [1..1] templateId (CONF:122) such that it
 - a) **SHALL** contain exactly one [1..1]
@root="2.16.840.1.113883.10.20.32.4.20" (CONF:123).
4. **SHALL** contain exactly one [1..1] code (CONF:124)
 - a) This code **SHALL** contain exactly one [1..1] @code="74467-2"
Number of Options (CONF:125).
 - b) This code **SHALL** contain exactly one [1..1] @CodeSystem="2.16.840.1.113883.6.1"(CONF:126).
5. **SHALL** contain exactly one [1..1] value (CONF:127).
 - a) **SHALL** contain exactly one [1..1] @xsi:type="IVL_INT"
(CONF:128).
 - b) **SHALL** contain exactly one [1..1] low (CONF:129).
 - c) **SHALL** contain exactly one [1..1] high (CONF:130).

```

<entryRelationship typeCode="SUBJ" contextConductionInd="true">
  <observation classCode="OBS" moodCode="EVN">
    <!--templateID for the Question Options Pattern Observation-->
    <templateId root="2.16.840.1.113883.10.20.32.4.20"/>
    <code code="74467-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC"/>
    <value xsi:type="IVL_INT">
      <!--minimum options-->
      <low value="1"/>
      <!--maximum options-->
      <high value="1"/>
    </value>
  </observation>
</entryRelationship>

```

Figure 15: Questions Options Pattern Example

5.8 Question Feedback Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.6]

The Question Feedback Pattern Observation is a generic observation class used to provide the feedback to the patient upon answering the question. This pattern may be associated with zero or more Precondition Pattern templates that hold the criteria for showing the feedback. In Figure 15,

the feedback is given to the user if the user sleeps such that the answer to question q4 is between 2 and 6 hrs. The value element holds the feedback text to be shown to the user.

Table 26: Question Feedback Pattern Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional) Multiple Choice Question Pattern Observation (optional) Analog Slider Question Pattern Observation (optional) Discrete Slider Question Pattern Observation (optional)	Precondition Pattern

Table 27: Question Feedback Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.6']					
	@classCode	1..1	SHALL		CONF:131	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:132	2.16.840.1.113883.5.1001 (ActMood) = DEF
	templateId	1..1	SHALL		CONF:133	
	@root	1..1	SHALL		CONF:134	2.16.840.1.113883.10.20.32.4.6
feedback	Code	1..1	SHALL		CONF:135	74466-4 (* @code?)
feedback Value	Value	1..1	SHALL		CONF:136	
	languageCode	0..1	SHOULD		CONF:137	
logic	precondition	0..*	SHOULD		CONF:138	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:131).
2. **SHALL** contain exactly one [1..1] @moodCode="DEF" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:132).
3. **SHALL** contain exactly one [1..1] templateId (CONF:133) such that it
 - a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.6" (CONF:134).
4. **SHALL** contain exactly one [1..1] code (CONF:135).
5. **SHALL** contain exactly one [1..1] value (CONF:136).
6. **SHOULD** contain zero or one [0..1] languageCode which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:137).
7. **SHOULD** contain zero or more [0..*] Precondition Pattern template (templateId 2.16.840.1.113883.10.20.32.4.4) or sdtc:precondition (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:138).

```
<observation classCode="OBS" moodCode="DEF">
```

```

<!--templateID for Question Feedback Pattern-->
<templateId root="2.16.840.1.113883.10.20.32.4.6"/>
<code code="74466-4" codeSystem="2.16.840.1.113883.6.1"
displayName="Feedback to user post question response Question"
codeSystemName="LOINC"/>
<value xsi:type="ST">Undlad at drikke kaffe lige før du går i seng</value>
<precondition typeCode="PRCN">
<templateId root="2.16.840.1.113883.10.20.32.4.4"/>
<criteria classCode="OBS" moodCode="EVN.CRT">
<templateId root="2.16.840.1.113883.10.20.32.4.3"/>
<code code="q4" codeSystem="1.2.208.N.N.N" codeSystemName="Some
table"/>
<value xsi:type="IVL_INT">
<low value="2"/>
<high value="6"/>
</value>
</criteria>
</precondition>
</observation>

```

Figure 16: Questions Feedback Pattern Example

5.9 Copy Right Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.21]

Copy Right Pattern Observation is used to record copyright information related to the content in a Questionnaire Form Definition document. The code 'COPY' is used to indicate organization who own the intellectual property represented by a Questionnaire Form Definition document. The value element contains the actual copy right text.

Note: Copy Right Pattern Observation may be "stamped" on any question in the questionnaire through the entryRelationship element.

Table 28: Copy Right Pattern Contexts

Used By:	Contains Entries:
Numeric Question Pattern Observation (optional) Multiple Choice Question Pattern Observation (optional) Text Question Pattern Observation (optional) Analog Slider Question Pattern Observation (optional) Discrete Slider Question Pattern Observation (optional)	Copy Right Pattern Observation

Table 29: Copy Right Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.21']					
	@classCode	1..1	SHALL		CONF:139	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:140	2.16.840.1.113883.5.1001 (ActMood) = EVN

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	templateId	1..1	SHALL		CONF:141	
	@root	1..1	SHALL		CONF:142	2.16.840.1.113883.10.20.32.4.21
copyright	code	1..1	SHALL		CONF:143	
	@code	1..1	SHALL		CONF:144	COPY
	@codeSystem	1..1	SHALL		CONF:145	2.16.840.1.113883.5.4
copyRight Text	Value	1..1	SHALL		CONF:146	
	@xsi:type	1..1	SHALL		CONF:147	ST
	languageCode	0..1	SHOULD		CONF:148	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:139).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:140).
3. **SHALL** contain exactly one [1..1] **TEMPLATEID** (CONF:141) such that it
 - a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.21" (CONF:142).
4. **SHALL** contain exactly one [1..1] code (CONF:143)
 - a) This code **SHALL** contain exactly one [1..1] @code="COPY" (CONF:144).
 - b) This code **SHALL** contain exactly one [1..1] @CodeSystem="2.16.840.1.113883.5.4" (CONF:145).
5. **SHALL** contain [1..1] value (CONF:146).
 - a) **SHALL** contain [1..1] @xsi:type="ST" (CONF:147).
6. **SHOULD** contain zero or one [0..1] languageCode which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:148).

```

<observation classCode="OBS" moodCode="EVN">
  <!--templateID for the Copyright Pattern Observation-->
  <templateId root="2.16.840.1.113883.10.20.32.4.21"/>
  <code code="COPY" codeSystem="2.16.840.1.113883.6.1"
    displayName="Code for Copyright" codeSystemName="LOINC"/>
  <value xsi:type="ST" language="da-DK">Copyright tekst skrives her</value>
</observation>

```

Figure 17: Copy Right Pattern Example

5.10 Numeric Question Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.7]

The Numeric Question Pattern Observation is used to construct the question instance where the expected response is a number of the following data types

1. INT
2. REAL
3. TS

This pattern may be associated with zero or more Precondition Pattern templates which hold the criteria for asking this question.

Question Reference Range Pattern template may also be associated with this pattern indicating the expected range of observation.value (i.e. answer to the question).

In addition, the pattern may be associated with the Question Feedback Pattern Observation template through entryRelationship, that holds feedback to be shown to the user after answering the question.

In addition, the pattern may also be associated with the Question Media Pattern Observation template through entryRelationship.

Table 30: Numeric Question Pattern Contexts

Used By:	Contains Entries:
Questions Organizer (required) Analog Slider Question Pattern Observation (required)	Question Help Text Pattern Observation Question Media Pattern Precondition Pattern Question Reference Range Pattern Question Feedback Pattern Observation

Table 31: Numeric Question Pattern Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.7']					
	@classCode	1..1	SHALL		CONF:149	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:150	2.16.840.1.113883.5.1001 (ActMood) = DEF
	templateId	1..1	SHALL		CONF:151	
	@root	1..1	SHALL		CONF:152	2.16.840.1.113883.10.20.32.4.7
question id	id	1..*	SHALL		CONF:153	
question	code	1..1	SHALL	CE	CONF:154	
	@code	1..1	SHALL		CONF:155	
	@codeSystem	1..1	SHALL		CONF:156	
	originalText	1..1	SHALL		CONF:157	
	languageCode	0..1	SHOULD		CONF:158	
	entryRelationship	0..1	MAY		CONF:159	
	@typeCode	1..1	SHALL	CD	CONF:160	SUBJ
help text	observation	1..1	SHALL		CONF:161	
	entryRelationship	0..1	SHOULD		CONF:162	
	@typeCode	1..1	SHALL	CD	CONF:163	REFR

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
associated media	observationMedia	1..1	SHALL		CONF:164	
	entryRelationship	0..1	SHOULD		CONF:164A	
	@typeCode	1..1	SHALL	CD	CONF:164B	REFR
question feedback	observation	1..1	SHALL		CONF:165	
question logic	precondition	0..*	SHOULD		CONF:166	
question reference range	referenceRange	0..*	SHOULD		CONF:167	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:149).
2. **SHALL** contain exactly one [1..1] @moodCode="DEF" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:150).
3. **SHALL** contain exactly one [1..1] templateId (CONF:151) such that it
 - a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.7" (CONF:152).
4. **SHALL** contain at least one [1..*] id (CONF:153).
5. **SHALL** contain exactly one [1..1] code (CONF:154).
 - a) This code **SHALL** contain exactly one [1..1] @code (CONF:155).
 - b) This code **SHALL** contain exactly one [1..1] @codeSystem (CONF:156).
 - c) This code **SHALL** contain exactly one [1..1] originalText (CONF:157).
6. **SHOULD** contain zero or one [0..1] languageCode which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:158).
7. **MAY** contain zero or one [0..1] entryRelationship (CONF:159).
 - a) The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:160).
 - b) **SHALL** contain exactly one [1..1] Question Help Text Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.19) (CONF:161).
8. **SHOULD** contain zero or one [0..1] entryRelationship (CONF:162).
 - a) The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:163).

- b) **SHALL** conform to the Question Media Pattern template (templateId 2.16.840.1.113883.10.20.32.4.2) (CONF:164).
9. **SHOULD** contain zero or one [0..1] entryRelationship (CONF:164A).
- a) The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:164B).
- b) **SHALL** conform to the Question Feedback Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.6) (CONF:165).
10. **SHOULD** contain zero or more [0..*] Precondition Pattern templates (templateId 2.16.840.1.113883.10.20.32.4.4) or sdtc:precondition (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:166)
11. **SHOULD** contain zero or more [0..*] Question Reference Range Pattern template (templateId 2.16.840.1.113883.10.20.32.4.5) (CONF:167).

```

<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Numeric Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.7"/>
  <id extension="ob1" root="1.2.208.N.N" assigningAuthorityName="Some Authority"/>

  <code code="q1" codeSystem="1.2.208.N.N.N" displayName="Antal timers søvn sidste nat" codeSystemName="Some Table">
    <originalText>Hvor mange timers søvn fik du sidste nat?</originalText>
  </code>
  <entryRelationship typeCode="REFR" contextConductionInd="true">
    <observation classCode="OBS" moodCode="DEF">
      <!--templateID for the Question Feedback pattern-->
      <templateId root="2.16.840.1.113883.10.20.32.4.6"/>
      <code code="74466-4" codeSystem="2.16.840.1.113883.6.1"
      displayName="Feedback to user post question response Question"
      codeSystemName="LOINC"/>
      <value xsi:type="ST" language="da-DK">Undlad at drikke kaffe lige før du går i seng</value>
    </observation>
  </entryRelationship>
  <precondition typeCode="PRCN">
    <templateId root="2.16.840.1.113883.10.20.32.4.4"/>
    <criterion classCode="OBS" moodCode="EVN.CRT">
      <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
      <code code="q4" codeSystem="1.2.208.N.N.N"
      codeSystemName="Some table"/>
      <value xsi:type="IVL_INT">
        <low value="2"/>
        <high value="6"/>
      </value>
    </criterion>
  </precondition>
</observation>

```

```

</entryRelationship>
<referenceRange typeCode="REFV">
  <!-- templateId for the Question Reference Range Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.5"/>
  <observationRange classCode="OBS" moodCode="EVN.CRT">
    <value xsi:type="IVL_INT">
      <low value="0"/>
      <high value="24"/>
    </value>
  </observationRange>
</referenceRange>
</observation>

```

Figure 18: Numeric Question Pattern Example

5.11 Multiple Choice Question Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.8]

The Multiple Choice Question Pattern Observation is used to construct the multiple choice question instance. Similar to Numeric Question Pattern Observation template, this pattern may be also associated with the following templates:

- Precondition Pattern
- Question Help Text Pattern Observation
- Question Options Pattern Observation

In addition, this pattern may be associated with Question Options Pattern Observation which indicates the minimum and maximum number of options that must be selected by a user. In addition, this pattern may also contain Text Question Pattern Observation which is used to capture other responses of the patient depending on a selected option.

Table 32: Multiple Choice Question Pattern Observation Contexts

Used By:	Contains Entries:
Questions Organizer (required) Discrete Slider Question Pattern Observation (required)	Question Media Pattern Precondition Pattern Question Help Text Pattern Observation Question Options Pattern Observation Question Feedback Pattern Observation Text Question Pattern Observation

Table 33: Multiple Choice Question Pattern Observation Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.8']					
	@classCode	1..1	SHALL		CONF:168	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:169	2.16.840.1.113883.5.1001 (ActMood) = DEF

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	templateId	1..1	SHALL		CONF:170	
	@root	1..1	SHALL		CONF:171	2.16.840.1.113883.10.20.32.4.8
	Id	1..*	SHALL		CONF:172	
question	code	1..1	SHALL	CE	CONF:173	
	@code	1..1	SHALL		CONF:174	
	@codeSystem	1..1	SHALL		CONF:175	
	originalText	1..1	SHALL		CONF:176	
	languageCode	0..1	SHOULD		CONF:177	
answer options	value	2..*	SHALL		CONF:178	
	@xsi:type	1..1	SHALL		CONF:179	CE
	@code	1..1	SHALL		CONF:180	
	@codeSystem	1..1	SHALL		CONF:181	
	@displayName	1..1	SHALL		CONF:182	
	entryRelationship	0..*	SHOULD		CONF:183	
	@typeCode	1..1	SHALL	CD	CONF:184	SUBJ
help text or question options	observation	1..1	SHALL		CONF:185 or CONF:186	
	entryRelationship	0..1	SHOULD		CONF:187	
	@typeCode	1..1	SHALL	CD	CONF:188	REFR
associated media	observationMedia	1..1	SHALL		CONF:189	
	entryRelationship	0..*	SHOULD		CONF:190	
	@typeCode	1..1	SHALL	CD	CONF:191	REFR
question feedback	observation	1..1	SHALL		CONF:192	
	entryRelationship	0..1	SHOULD		CONF:193	
	@typeCode	1..1	SHALL	CD	CONF:194	REFR
associated text question	observation	1..1	SHALL		CONF:195	
question logic	precondition	0..*	SHOULD		CONF:196	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:168).
2. **SHALL** contain exactly one [1..1] @moodCode="DEF" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:169).
3. **SHALL** contain exactly one [1..1] templateId (CONF:170) such that it
4. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.8" (CONF:171).
5. **SHALL** contain at least one [1..*] id (CONF:172).
6. **SHALL** contain exactly one [1..1] code (CONF:173).
7. This code **SHALL** contain exactly one [1..1] @code (CONF:174).
8. This code **SHALL** contain exactly one [1..1] @CodeSystem (CONF:175).
9. This code **SHALL** contain exactly one [1..1] originalText (CONF:176).

10. **SHOULD** contain zero or one [0..1] `languageCode` which **SHALL** be selected from ValueSet `Language` 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:177).
11. **SHALL** contain at least two or more [2..*] `value` (CONF:178).
12. **SHALL** contain exactly one [1..1] `@xsi:type="CE"` (CONF:179).
13. This code **SHALL** contain exactly one [1..1] `@code` (CONF:180).
14. This code **SHALL** contain exactly one [1..1] `@CodeSystem` (CONF:181).
15. This code **SHALL** contain exactly one [1..1] `@displayName` (CONF:182).
16. **SHOULD** contain zero or many [0..*] `entryRelationship` (CONF:183) such that it.
17. **SHALL** contain exactly one [1..1] `@typeCode="SUBJ"` (CodeSystem: `HL7ActRelationshipType` 2.16.840.1.113883.5.1002) (CONF:184).
18. **SHALL** contain exactly one [1..1] `Question Help Text Pattern Observation template` (`templateId` 2.16.840.1.113883.10.20.32.4.19) (CONF:185).
19. **SHALL** contain exactly one [1..1] `Question Options Pattern Observation template` (`templateId` 2.16.840.1.113883.10.20.32.4.20) (CONF:186).
20. **SHOULD** contain zero or one [0..1] `entryRelationship` (CONF:187).
21. The `entryRelationship`, if present, **SHALL** contain exactly one [1..1] `@typeCode="REFR"` (CodeSystem: `HL7ActRelationshipType` 2.16.840.1.113883.5.1002) (CONF:188).
22. **SHALL** conform to the `Question Media Pattern template` (`templateId` 2.16.840.1.113883.10.20.32.4.2) (CONF:189).
23. **SHOULD** contain zero or one [0..*] `entryRelationship` (CONF:190).
24. The `entryRelationship`, if present, **SHALL** contain exactly one [1..1] `@typeCode="REFR"` (CodeSystem: `HL7ActRelationshipType` 2.16.840.1.113883.5.1002) (CONF:191).
25. **SHALL** conform to the `Question Feedback Pattern Observation template` (`templateId` 2.16.840.1.113883.10.20.32.4.6) (CONF:192).
26. **SHOULD** contain zero or one [0..1] `entryRelationship` (CONF:193).
27. The `entryRelationship`, if present, **SHALL** contain exactly one [1..1] `@typeCode="REFR"` (CodeSystem: `HL7ActRelationshipType` 2.16.840.1.113883.5.1002) (CONF:194).
28. **SHALL** conform to the `Text Question Pattern Observation template` (`templateId` 2.16.840.1.113883.10.20.32.4.9) (CONF:195).
29. **SHOULD** contain zero or more [0..*] `Precondition Pattern templates` (`templateId` 2.16.840.1.113883.10.20.32.4.4) or

sdtc:precondition (templateId
2.16.840.1.113883.10.20.32.4.12) (CONF:196).

```
<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Multiple Choice Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.8"/>
  <id extension="ob1" root="1.2.208.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q1" codeSystem="1.2.208.N.N.N"
    displayName="Konsultationsbehov"
    codeSystemName="Some Table">
    <originalText>Hvad er dit behov i forhold til en konsultation?</originalText>
  </code>
  <value xsi:type="CE" code="A1" codeSystem="1.2.208.N.N.N"
    displayName="Jeg ringer selv, hvis jeg har behov for en konsultation"
    codeSystemName="Some Table"/>
  <value xsi:type="CE" code="A2" codeSystem="1.2.208.N.N.N"
    displayName="Jeg vil gerne ringes op (telefonkonsultation)"
    codeSystemName="Some Table"/>
  <value xsi:type="CE" code="A3" codeSystem="1.2.208.N.N.N"
    displayName="Jeg vil gerne have en tid i ambulatoriet"
    codeSystemName="Some Table"/>
  <entryRelationship typeCode="SUBJ" contextConductionInd="true">
    <observation classCode="OBS" moodCode="EVN">
      <!--templateID for the Question Options Pattern Observation-->
      <templateId root="2.16.840.1.113883.10.20.32.4.20"/>
      <code code="74467-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC"/>
      <value xsi:type="IVL_INT">
        <!--minimum options-->
        <low value="1"/>
        <!--maximum options-->
        <high value="1"/>
      </value>
    </observation>
  </entryRelationship>
</observation>
```

Figure 19: Multiple Choice Question Pattern Observation Example-1

```
<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Multiple Choice Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.8"/>
  <id extension="ob8" root="1.2.208.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q8" codeSystem="1.2.208.N.N.N"
    displayName="Høj puls" codeSystemName="Some Table">
    <originalText>Hvad tror du er årsagen til din høje puls?</originalText>
  </code>
  <value xsi:type="CE" code="A1" codeSystem="1.2.208.N.N.N"
    displayName="Jeg havde en meget stresset dag"
    codeSystemName="Some Table"/>
</observation>
```

```

<value xsi:type="CE" code="A2" codeSystem="1.2.208.N.N.N"
  displayName="Jeg kunne ikke tage min medicin"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="A3" codeSystem="1.2.208.N.N.N"
  displayName="Jeg havde trænet umiddelbart før pulsen blev målt"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="A4" codeSystem="1.2.208.N.N.N"
  displayName="Jeg havde drukket mere end sædvanligt"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="A5" codeSystem="1.2.208.N.N.N"
  displayName="Anden årsag"
  codeSystemName="Some Table"/>
<entryRelationship typeCode="SUBJ" contextConductionInd="true">
  <observation classCode="OBS" moodCode="EVN">
    <!--templateID for the Question Options Pattern Observation-->
    <templateId root="2.16.840.1.113883.10.20.32.4.20"/>
    <code code="74467-2" codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC"/>
    <value xsi:type="IVL_INT">
      <!--minimum options-->
      <low value="1"/>
      <!--maximum options-->
      <high value="4"/>
    </value>
  </observation>
</entryRelationship>
<!-- Precondition for asking this question
  Ask this question only if the answer to question q7 is A1-->
<precondition typeCode="PRCN">
  <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
  <criteria classCode="OBS" moodCode="EVN.CRT">
    <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
    <code code="q7" codeSystem="1.2.208.N.N.N"
      codeSystemName="Some Table">
    </code>
    <value xsi:type="CE" code="A1" displayName="Ja"/>
  </criteria>
</precondition>
</observation>

```

Figure 20: Multiple Choice Question Pattern Observation Example-2

```

<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Multiple Choice Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.8"/>
  <id extension="ob9" root="1.2.208.N.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q9" codeSystem="1.2.208.N.N.N"
    displayName="Problem med medicin"
    codeSystemName="Some Table">
    <originalText>Hvor godt tåler du den receptpligtige medicin?</originalText>
  </code>
  <value xsi:type="CE" code="B1" codeSystem="1.2.208.N.N.N"
    displayName="Meget godt"
    codeSystemName="Some Table"/>

```

```

<value xsi:type="CE" code="B2" codeSystem="1.2.208.N.N.N"
  displayName="Godt"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="B3" codeSystem="1.2.208.N.N.N"
  displayName="Nogen lunde"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="B4" codeSystem="1.2.208.N.N.N"
  displayName="Ikke særlig godt"
  codeSystemName="Some Table"/>
<value xsi:type="CE" code="B5" codeSystem="1.2.208.N.N.N"
  displayName="Meget dårligt"
  codeSystemName="Some Table"/>
<entryRelationship typeCode="SUBJ" contextConductionInd="true">
  <observation classCode="OBS" moodCode="EVN">
    <!--templateID for the Question Options Pattern Observation-->
    <templateId root="2.16.840.1.113883.10.20.32.4.20"/>
    <code code="74467-2" codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC"/>
    <value xsi:type="IVL_INT">
      <!--minimum options-->
      <low value="1"/>
      <!--maximum options-->
      <high value="1"/>
    </value>
  </observation>
</entryRelationship>
<!-- Precondition for asking this question
  Ask this question only if the answer to question q7 is A1-->
<precondition typeCode="PRCN">
  <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
  <criterion classCode="OBS" moodCode="EVN.CRT">
    <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
    <code code="q7" codeSystem="1.2.208.N.N.N"
      codeSystemName="Some Table">
    </code>
    <value xsi:type="CE" code="A1" displayName="Ja"/>
  </criterion>
</precondition>
</observation>

```

Figure 21: Multiple Choice Question Pattern Observation Example-3

5.12 Text Question Pattern Observation

```
[observation: templateId 2.16.840.1.113883.10.20.32.4.9]
```

The Text Question Pattern Observation is used to create an instance of the question where the expected answer is free text data type. Similar to Numeric Question Pattern Observation and Multiple Choice Question Pattern Observation templates, this pattern may also be associated with zero or more Precondition Pattern templates that hold the criteria for asking the question.

Table 34: Text Question Pattern Contexts

Used By:	Contains Entries:
Questions Organizer (required)	Question Media Pattern Precondition Pattern Question Help Text Pattern Observation

Table 35: Text Question Pattern Observation Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.9']					
	@classCode	1..1	SHALL		CONF:197	2.16.840.1.113883.5.6 (HL7ActClass) = OBS
	@moodCode	1..1	SHALL		CONF:198	2.16.840.1.113883.5.1001 (ActMood) = DEF
	templateId	1..1	SHALL		CONF:199	
	@root	1..1	SHALL		CONF:200	2.16.840.1.113883.10.20.32.4.9
questionId	id	1..*	SHALL		CONF:201	
question	code	1..1	SHALL	CE	CONF:202	
	@code	1..1	SHALL		CONF:203	
	@codeSystem	1..1	SHALL		CONF:204	
	originalText	1..1	SHALL		CONF:205	
	languageCode	0..1	SHOULD		CONF:206	
	entryRelationship	0..1	MAY		CONF:207	
	@typeCode	1..1	SHALL	CD	CONF:208	SUBJ
helpText	observation	1..1	SHALL		CONF:209	
	entryRelationship	0..1	SHOULD		CONF:210	
	@typeCode	1..1	SHALL	CD	CONF:211	REFR
associated Media	observationMedia	1..1	SHALL		CONF:212	
question Logic	precondition	0..*	SHOULD		CONF:213	

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass 2.16.840.1.113883.5.6 **STATIC**) (CONF:197).
2. **SHALL** contain exactly one [1..1] @moodCode="DEF" (CodeSystem: ActMood 2.16.840.1.113883.5.1001 **STATIC**) (CONF:198).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:199) such that it
 - a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.6" (CONF:200).
4. **SHALL** contain at least one [1..*] **id** (CONF:201).
5. **SHALL** contain exactly one [1..1] **code** (CONF:202).
 - a) This code **SHALL** contain exactly one [1..1] @code (CONF:203).
 - b) This code **SHALL** contain exactly one [1..1] @codeSystem (CONF:204).

- c) This code **SHALL** contain exactly one [1..1] @originalText (CONF:205).
- 6. **SHOULD** contain zero or one [0..1] languageCode which **SHALL** be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:206).
- 7. **MAY** contain zero or one [0..1] entryRelationship (CONF:207).
 - a) The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:208).
 - b) **SHALL** contain exactly one [1..1] Question Help Text Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.19) (CONF:209).
- 8. **SHOULD** contain zero or one [0..1] entryRelationship (CONF:210).
 - a) The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:211).
 - b) **SHALL** conform to the Question Media Pattern template (templateId 2.16.840.1.113883.10.20.32.4.2) (CONF:212).
- 9. **SHOULD** contain zero or more [0..*] Precondition Pattern templates (templateId 2.16.840.1.113883.10.20.32.4.4) or sdtc:precondition (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:213).

```

<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Text Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.9"/>
  <id extension="ob1" root="1.2.208.N.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q1" codeSystem="1.2.208.N.N.N"
    displayName="Problemer ifm. Epilepsi"
    codeSystemName="Some Table">
    <originalText>Medfører din epilepsi (anfald/behandling) alvorlige
    begrænsninger for dig? (fx sociale begrænsninger)</originalText>
  </code>
</observation>

```

Figure 22: Text Question Pattern Observation Example

5.13 Analog Slider Question Pattern Observation

```
[observation: templateId 2.16.840.1.113883.10.20.32.4.10]
```

The Analog Slider Question Pattern Observation is used to ask a question from the patient in the form of visual analogue scale (VAS)^v. The Analog Slider Question Pattern Observation is used to create an instance that carries the information necessary to construct VAS. The continuum range is indicated by the referenceRange/observationRange construct where the data type of the value/@xsi:type="GLIST_PQ". The head (or starting point) of the scale is indicated by value/head, the step size is indicated by value/increment and the tail (or the end) of the scale is indicated by value/denominator.

Table 36: Analog Slider Question Pattern Contexts

Used By:	Contains Entries:
Questions Organizer (required)	Numeric Question Pattern Observation

Table 37: Analog Slider Question Pattern Observation Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.10']					
	templateId	1..1	SHALL		CONF:216	
	@root	1..1	SHALL		CONF:217	2.16.840.1.113883.10.20.32.4.10
	referenceRange	1..1	SHALL		CONF:218	
	@typeCode	1..1	SHALL	CD	CONF:219	REFV
	observationRange	1..1	SHALL		CONF:220	
	value	1..1	SHALL		CONF:221	
	@xsi:type	1..1	SHALL		CONF:222	GLIST_PQ
startOf Scale	head	1..1	SHALL		CONF:223	
stepSize	increment	1..1	SHALL		CONF:224	
endOf Scale	denominator	1..1	SHALL		CONF:225	

1. **SHALL** conform to the Numeric Question Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.7) (CONF:214).
2. **SHALL NOT** contain Question Reference Range Pattern template (templateId 2.16.840.1.113883.10.20.32.4.5) (CONF:215).
3. **SHALL** contain exactly one [1..1] templateId (CONF:216) such that it

^v VAS is a measurement instrument that tries to measure a characteristic or attitude that is believed to range across a continuum of values and cannot easily be directly measured. For example, the amount of pain that a patient feels ranges across a continuum from none to an extreme amount of pain. From the patient's perspective this spectrum appears continuous- their pain does not take discrete jumps, as a categorization of none, mild, moderate and severe would suggest. It was to capture this idea of an underlying continuum that the VAS was devised [D. Gould et al. "Information Point: Visual Analog Scale (VAS)", Available at http://www.cebp.nl/vault_public/filesystem/?ID=1478 (Accessed on 17-March-2013)]

- a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.10" (CONF:217).
- 4. **SHALL** contain exactly one [1..1] referenceRange (CONF:218).
 - a) **SHALL** contain exactly one [1..1] @typeCode="REFV" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002) (CONF:219).
 - b) **SHALL** contain exactly one [1..1] observationRange (CONF:220).
 - c) **SHALL** contain exactly one [1..1] value (CONF:221) such that it
 - i. **SHALL** contain exactly one [1..1] @xsi:type="GLIST_PQ" (CONF:222).
 1. **SHALL** contain exactly one [1..1] head (CONF:223).
 2. **SHALL** contain exactly one [1..1] increment (CONF:224).
 3. **SHALL** contain exactly one [1..1] @denominator (CONF:225).

```

<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Numeric Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.7"/>
  <!--templateID for the Analog Slider Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.10"/>
  <id extension="ob1" root="1.2.208.N.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q1" codeSystem="1.2.208.N.N.N"
    displayName="Timer uden smerter pr. døgn"
    codeSystemName="Some Table">
    <originalText>Hvor stor en procentdel af døgnen er du
    smertefri?</originalText>
  </code>
  <referenceRange typeCode="REFV">
    <observationRange classCode="OBS" moodCode="EVN.CRT">
      <value xsi:type="GLIST_PQ" denominator="100">
        <head value="0"/>
        <increment value="1"/>
      </value>
    </observationRange>
  </referenceRange>
</observation>

```

Figure 23: Analog Slider Question Pattern Observation Example

5.14 Discrete Slider Question Pattern Observation

[observation: templateId 2.16.840.1.113883.10.20.32.4.11]

The Discrete Slider Question Pattern Observation is similar to the Multiple Choice Question Pattern Observation template however the user can only select one option i.e the high value in the Question Options Pattern Observation used by the Multiple Choice Question Pattern Observation template is fixed to "1". In addition the options are presented as a slider similar to Analog Slider Question Pattern Observation.

Table 38: Discrete Slider Question Pattern Contexts

Used By:	Contains Entries:
Questions Organizer	Multiple Choice Question Pattern Observation

Table 39: Discrete Slider Question Pattern Observation Constraints Overview

Name	XPath	Card	Verb	Data Type	CONF#	Fixed Value
	observation[templateId/@root = '2.16.840.1.113883.10.20.32.4.11']					
	templateId	1..1	SHALL		CONF:227	
	@root	1..1	SHALL		CONF:228	2.16.840.1.113883.10.20.32.4.11
	entryRelationship/observation/value/high/@value	1..1	SHALL	INT	CONF:229	1

1. **SHALL** confirm to Multiple Choice Question Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.8) (CONF:226).
2. **SHALL** contain exactly one [1..1] templateId (CONF:227) such that it
 - a) **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.32.4.11" (CONF:228).
3. The value of entryRelationship/observation/value/high/@value **SHALL** be set to "1" in the Question Options Pattern Observation template (templateId 2.16.840.1.113883.10.20.32.4.20) (CONF:229).

```
<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Multiple Choice Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.8"/>
  <!--templateID for the Discrete Slider Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.11"/>
  <id extension="ob2" root="1.2.208.N.N.N"
    assigningAuthorityName="Some Authority"/>
  <code code="q2" codeSystem="1.2.208.N.N.N"
    displayName="Smertepåvirkning ved fysisk aktivitet"
    codeSystemName="Some Table">
    <originalText>2. Fysisk aktivitet forværrer mine smerter</originalText>
  </code>
  <value xsi:type="CE" code="N0" codeSystem="1.2.208.N.N.N"
    displayName="0" codeSystemName="Some Table"/>
</observation>
```

```

<value xsi:type="CE" code="N1" codeSystem="1.2.208.N.N.N"
  displayName="1" codeSystemName=" Some Table"/>
<value xsi:type="CE" code="N2" codeSystem="1.2.208.N.N.N"
  displayName="2" codeSystemName=" Some Table"/>
<value xsi:type="CE" code="N3" codeSystem="1.2.208.N.N.N"
  displayName="3" codeSystemName=" Some Table"/>
<value xsi:type="CE" code="N4" codeSystem="1.2.208.N.N.N"
  displayName="4" codeSystemName=" Some Table"/>
<value xsi:type="CE" code="N5" codeSystem="1.2.208.N.N.N"
  displayName="5" codeSystemName=" Some Table"/>
<value xsi:type="CE" code="N6" codeSystem="1.2.208.N.N.N"
  displayName="6" codeSystemName=" Some Table"/>
<entryRelationship typeCode="SUBJ" contextConductionInd="true">
  <observation classCode="OBS" moodCode="EVN">
    <!--templateID for the Question Options Pattern Observation-->
    <templateId root="2.16.840.1.113883.10.20.32.4.20"/>
    <code code="74467-2" codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC"/>
    <value xsi:type="IVL_INT">
      <!--minimum options-->
      <low value="0"/>
      <!--maximum options shall be "1" in case of a discrete slider-->
      <high value="1"/>
    </value>
  </observation>
</entryRelationship>
</observation>

```

Figure 24: Discrete Slider Question Pattern Observation Example

6 APPENDIX A. EXTENSIONS TO CDA R2

Where there is a need to communicate information for which there is no suitable representation in CDA R2, extensions to CDA R2 have been developed. This section serves to summarize the extensions and provide implementation guidance. Using the Precondition Pattern template based on the CDA R2, one can only realize AllTrue logic i.e. every precondition must be true for the act to be performed (i.e. question to be asked from from the patient). In order to realize the AllTrue and other types of logics (i.e. AllFalse, AtLeastOneTrue, AtLeastOneFalse, OnlyOneTrue and OnlyOneFalse), one can use the sdctc:precondition template, which is being created based on the HQMF standard.

Extensions created for this guide include:

- sdctc:precondition- The precondition extension allows grouping of multiple preconditions through logical grouper(s). This further consists of the following elements and attributes
 - precondition.conjunctionCode

- The conjunction code is fixed to the appropriate value for each grouper to ensure that the grouper generates the appropriate logical connective.
 - precondition.Grouper
 - A precondition can contain additional groupers to perform complicated, nested Boolean logic.
 - precondition.criterion
 - A precondition can contain criteria for performing an act.
 - Precondition.negationInd
 - The negation indicator is fixed to the appropriate value for each grouper to ensure that the grouper generates the appropriate logical connective.
 - precondition.typeCode
 - The type code is fixed to "PRCN" (precondition).
- Grouper Attributes
 - Grouper.classCode
 - The class code is fixed to "GROUPER" (Grouper)
 - Grouper.moodCode
 - The mood code is fixed to "EVN" (event)
 - Grouper.id
 - A unique identifier for this grouper expression.
 - Grouper Relationships
 - Grouper.precondition
 - Each grouper connects to the criteria that it groups with a precondition relationship. The precondition relationships vary in their definitions to ensure that the grouper computes the appropriate logic described by the name of the grouper.
 - Logical Groupers

Preconditions can be grouped together in AND/OR/XOR expressions using grouper acts. These groupers allow only one kind of precondition to enforce the logic described by the name of the grouper. Groupers can combine other groupers or individual criteria to allow for more complex Boolean logic to be computed.

Grouper Class Name	Boolean Expression Equivalent	Description
AllTrue	AND	This act is composed of subcriteria all of which must be true in order for question to be asked.
AllFalse	NOR	This act is composed of subcriteria all of which must be false in order for question to be asked.
AtLeastOneTrue	OR	This act is composed of subcriteria of which at least one must be true in order for question to be asked.

AtLeastOneFalse	NAND	This act is composed of subcriteria of which at least one must be false in order for question to be asked.
OnlyOneTrue	(see Note 1)	This act is composed of subcriteria of which exactly one must be true in order for question to be asked.
OnlyOneFalse)	(See Note 1)	This act is composed of subcriteria of which exactly one must be false in order for question to be asked.

Note 1: OnlyOneTrue and OnlyOneFalse represent the positive and negative forms of the HL7 Exclusive OR operation (XOR), which is defined as "One and only one of the XOR conditions must be true (false)." The generalization of this over more than two operands does not follow typical conventions in Boolean logic.

To resolve issues that need to be addressed by extension, the developers of this guide chose to approach extensions as follows:

- An extension is a collection of element or attribute declarations and rules for their application to the CDA Release 2.0.
- A single namespace for all extension elements or attributes that may be used by this guide will be defined.
- The namespace for extensions created by the HL7 Structured Documents Working Group (formerly Stuctured Documents Technical Committee) shall be urn:hl7-org:sdtc.
- This namespace shall be used as the namespace for any extension elements or attributes that are defined by this implementation guide.
- Each extension element shall use the same HL7 vocabularies and data types used by CDA Release 2.0.
- Each extension element shall use the same conventions for order and naming as is used by the current HL7 tooling.
- An extension element shall appear in the XML where the expected RIM element of the same name would have appeared had that element not been otherwise constrained from appearing in the CDA XML schema.

6.1 Precondition Extension Pattern

```
[sdtc:precondition: templateId
2.16.840.1.113883.10.20.32.4.12]
```

1. **SHALL** contain exactly one [1..1] @typeCode="PRCN" (CONF:230).
2. **SHALL** contain exactly one [1..1] templateId (CONF:231). such that it

- a) **SHALL** contain exactly one [1..1]
 - @root="2.16.840.1.113883.10.20.32.4.12" (CONF:232).
- 3. **SHOULD** contain zero or one [0..1] conjunctionCode (CONF:233).
- 4. **SHALL** contain exactly one [1..1] Criterion Pattern template (CONF:234) or one of the following grouper templates (CONF:235).
 - a) AllTrue Pattern template (templateId 2.16.840.1.113883.10.20.32.4.13) (CONF:236).
 - b) AllFalse Pattern template (templateId 2.16.840.1.113883.10.20.32.4.14) (CONF:237).
 - c) AtLeastOneTrue Pattern template (templateId 2.16.840.1.113883.10.20.32.4.15) (CONF:238).
 - d) AtLeastOneFalse Pattern template (templateId 2.16.840.1.113883.10.20.32.4.16) (CONF:239).
 - e) OnlyOneTrue Pattern template (templateId 2.16.840.1.113883.10.20.32.4.17) (CONF:240).
 - f) OnlyOneFalse Pattern template (templateId 2.16.840.1.113883.10.20.32.4.18) (CONF:241).
- 5. **SHOULD** contain zero or one [0..1] @negationInd (CONF:242).

6.2 AllTrue Pattern

[allTrue: templateId 2.16.840.1.113883.10.20.32.4.13]

- 1. **SHALL** contain exactly one [1..1] templateId (CONF:243) such that it
 - a) **SHALL** contain exactly one [1..1]
 - @root="2.16.840.1.113883.10.20.32.4.13" (CONF:244).
- 2. **SHALL** contain exactly one [1..1] id (CONF:245).
- 3. **SHALL** contain at least one [1..*] sdtc:precondition template (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:246).

6.3 AllFalse Pattern

[allFalse: templateId 2.16.840.1.113883.10.20.32.4.14]

- 1. **SHALL** contain exactly one [1..1] templateId (CONF:247) such that it
 - a) **SHALL** contain exactly one [1..1]
 - @root="2.16.840.1.113883.10.20.32.4.14" (CONF:248).
- 2. **SHALL** contain exactly one [1..1] id (CONF:249).
- 3. **SHALL** contain at least one [1..*] sdtc:precondition template (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:250).

6.4 AtLeastOneTrue Pattern

[atLeastOneTrue: templateId 2.16.840.1.113883.10.20.32.4.15]

1. **SHALL** contain exactly one [1..1] templateId (CONF:251) such that it
 - a) **SHALL** contain exactly one [1..1]
@root="2.16.840.1.113883.10.20.32.4.15" (CONF:252).
2. **SHALL** contain exactly one [1..1] id (CONF:253).
3. **SHALL** contain at least one [1..*] sdtc:precondition template (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:254).

6.5 AtLeastOneFalse Pattern

[atLeastOneFalse: templateId 2.16.840.1.113883.10.20.32.4.16]

1. **SHALL** contain exactly one [1..1] templateId (CONF:255) such that it
 - a) **SHALL** contain exactly one [1..1]
@root="2.16.840.1.113883.10.20.32.4.16" (CONF:256).
2. **SHALL** contain exactly one [1..1] id (CONF:257).
3. **SHALL** contain at least one [1..*] sdtc:precondition template (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:258).

6.6 OnlyOneTrue Pattern

[onlyOneTrue: templateId 2.16.840.1.113883.10.20.32.4.17]

1. **SHALL** contain exactly one [1..1] templateId (CONF:259) such that it
 - a) **SHALL** contain exactly one [1..1]
@root="2.16.840.1.113883.10.20.32.4.17" (CONF:260).
2. **SHALL** contain exactly one [1..1] id (CONF:261).
3. **SHALL** contain at least one [1..*] sdtc:precondition template (templateId 2.16.840.1.113883.10.20.32.4.12) (CONF:262).

6.7 OnlyOneFalse Pattern

[onlyOneFalse: templateId 2.16.840.1.113883.10.20.32.4.18]

1. **SHALL** contain exactly one [1..1] templateId (CONF:263) such that it
 - a) **SHALL** contain exactly one [1..1]
@root="2.16.840.1.113883.10.20.32.4.18" (CONF:264).
2. **SHALL** contain exactly one [1..1] id (CONF:265).

3. **SHALL** contain at least one [1..*] sdtc:precondition template
(templateId 2.16.840.1.113883.10.20.32.4.12)
(CONF:266).

```
<observation classCode="OBS" moodCode="DEF">
  <!--templateID for the Text Question Pattern-->
  <templateId root="2.16.840.1.113883.10.20.32.4.9"/>
  <id extension="ob10" root="2.16.840.1.113883.3.1817.1.6"/>
  <code code="q10" codeSystem="Some-Code-System-Name">
    <originalText>OK, could you please tell what is the other probable reason?</originalText>
  </code>
  <value xsi:type="ST"></value>
  <sdtc:precondition>
    <templateId root="2.16.840.1.113883.10.20.32.4.12"/>
    <atLeastOneTrue>
      <templateId root="2.16.840.1.113883.10.20.32.4.15"/>
      <id extension="p1" root="2.16.840.1.113883.3.1817.1.6"/>
      <sdtc:precondition typeCode="PRCN">
        <templateId root="2.16.840.1.113883.10.20.32.4.12"/>
        <criteria classCode="OBS" moodCode="EVN.CRT">
          <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
          <code code="q7" codeSystem="CONTINUA-Q-OID"/>
          <value xsi:type="CE" code="C1" codeSystem="Some-Code-System-Name"
            displayName="Yes, probably"/>
        </criteria>
      </sdtc:precondition>
      <sdtc:precondition typeCode="PRCN">
        <templateId root="2.16.840.1.113883.10.20.32.4.12"/>
        <criteria classCode="OBS" moodCode="EVN.CRT">
          <templateId root="2.16.840.1.113883.10.20.32.4.3"/>
          <code code="q8" codeSystem="Some-Code-System-Name"/>
          <value xsi:type="CE" code="GUID5" codeSystem="Continua-ANS-OID"
            displayName="Another reason..."/>
        </criteria>
      </sdtc:precondition>
    </atLeastOneTrue>
  </sdtc:precondition>
</observation>
```

Figure 25: sdtc:precondition AtLeastOneTrue Pattern Example

7 APPENDIX B: TEMPLATEID'S USED IN QFDD

Table 40: TemplateId's used in QFDD

TemplateId	Description
1.2.208.184.12.1	QFDD-DK document header (root OID)
1.2.208.184.12.1.1.1	QFDD-DK document level templateId
2.16.840.1.113883.10.20.32.2.1	QFDD Section level templateId
2.16.840.1.113883.10.20.32.2.2	Copy Right section templateId
2.16.840.1.113883.10.20.32.2.1 (OPEN)	Information only section templateId
2.16.840.1.113883.10.20.32.4.1	Question organizer level templateId
2.16.840.1.113883.10.20.32.4.2	Question media templateId
2.16.840.1.113883.10.20.32.4.3	Question criterion templateId
2.16.840.1.113883.10.20.32.4.4	Precondition templateId
2.16.840.1.113883.10.20.32.4.5	Question reference range templateId
2.16.840.1.113883.10.20.32.4.6	Question feedback observation templateId
2.16.840.1.113883.10.20.32.4.7	Numeric question observation templateId
2.16.840.1.113883.10.20.32.4.8	Multiple choice question observation templateId
2.16.840.1.113883.10.20.32.4.9	Text question observation templateId
2.16.840.1.113883.10.20.32.4.10	Analog slider question observation templateId
2.16.840.1.113883.10.20.32.4.11	Discrete slider question observation templateId
2.16.840.1.113883.10.20.32.4.12	sdtc:precondition templateId
2.16.840.1.113883.10.20.32.4.13	sdtc:precondition AllTrue pattern templateId
2.16.840.1.113883.10.20.32.4.14	sdtc:precondition AllFalse pattern templateId
2.16.840.1.113883.10.20.32.4.15	sdtc:precondition AtLeastOneTrue pattern templateId
2.16.840.1.113883.10.20.32.4.16	sdtc:precondition AtLeastOneFalse pattern templateId
2.16.840.1.113883.10.20.32.4.17	sdtc:precondition OnlyOneTrue pattern templateId
2.16.840.1.113883.10.20.32.4.18	sdtc:precondition OnlyOneFalse pattern templateId
2.16.840.1.113883.10.20.32.4.19	Question help text observation templateId
2.16.840.1.113883.10.20.32.4.20	Question options observation templateId
2.16.840.1.113883.10.20.32.4.21	Copy Right observation templateId